

$$\textcircled{1} \quad A = \frac{b \cdot h}{2} :$$


$$A = \frac{4 \cdot 3}{2} = 6 \text{ m}^2$$

$$\textcircled{2} \quad A = \frac{b \cdot h}{2}$$

$$A = \frac{12 \cdot 5}{2} = \frac{60}{2} = 30$$

$$S = 6 + 30 = 36 \text{ m}^2$$


$$A_p = A_T \cdot 5 \quad A_T = \frac{b \cdot h}{2}$$




$$A_p = \frac{b \cdot h}{2} \cdot 5$$

$$A_p = \frac{L \cdot ap}{2} \cdot \frac{5}{1} = \frac{5 \cdot L \cdot ap}{2}$$

$$A_p = \frac{P \cdot ap}{2}$$



$$A_c = \frac{P \cdot ap}{2} = \frac{L \cdot R}{2} = \pi \cdot R^2$$



$$L_{\text{AR}} = \frac{2 \cdot \pi \cdot R}{360} \cdot N$$

$$L = 360^\circ$$

$$L = \frac{2 \cdot \pi \cdot R}{360} \cdot N$$

$$\text{Arc} \Rightarrow \theta$$

$$A = \frac{\pi \cdot R^2}{360} \cdot N$$

